

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	672	192/70.12.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 10:13
L3	238	192/70.12.ccls. and ((drive or driving) near3 shaft)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 10:14
L4	409	192/70.12.ccls. and (oil\$3 or lubricant or lubricat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 10:16
L5	321	192/113.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 10:46
L6	20	("2284938"   "2294207"   "2699846"   "2852118"   "3007555"   "3062347"   "3505982"   "3661237").PN. OR ("3749214").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 10:50
L7	144	192/113.3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 11:05
L8	527	192/113.34.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 11:25

L11	2	("3280948").URPN.	USPAT	OR	OFF	2009/05/18 12:00
L12	362	192/113.5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:02
L13	2737	(hydrodynamic\$4 near5 (coupling or clutch\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:23
L14	1740	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (impeller or pump or turbine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:23
L15	750	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and impeller \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:24
L16	224	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and impeller \$1 and central	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:24
L17	390	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (toroid or toroidal or torus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:25
L18	184	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (toroid or toroidal or torus) and impeller\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:26
L19	331	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:26

L20	53	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine) and ((channel or passage or line ) near5 (central or center or centre))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:27
L21	17	(hydrodynamic\$4 near5 (coupling or clutch\$3)) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine) and ((channel or passage or line ) near5 (central or center or centre)) and supply and discharg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 12:32
L22	9	("4382496"   "5346043"   "5613582"   "5662194"   "5690200"   "5738198"   "5769196").PN. OR ("6708804").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 13:13
L23	12	("2430258"   "3058296"   "3136129"   "3952508"   "4376370"   "4586337"   "5323610"   "5352100").PN. OR ("5778668").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/18 13:15
L24	2	("3058296").URPN.	USPAT	OR	OFF	2009/05/18 13:16
L26	0	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine) and ((channel or passage or line ) near5 (central or center or centre)) and supply and discharg \$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 13:51

L27	7	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine) and ((channel or passage or line ) near5 (central or center or centre)) and supply and discharg \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 13:51
L28	8	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and (impeller\$1 or pump or turbine) and ((channel or passage or line ) near5 (central or center or centre)) and supply and (evacuat \$3 or discharg\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 13:59
L29	3	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and ((channel or passage or line ) near5 (central or center or centre)) and supply and (evacuat\$3 or discharg\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:02
L30	1	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and ((channel or passage or line ) near5 (central or center or centre)) and supply and (evacuat\$3 or discharg\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:03

L31	1	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and supply and (evacuat\$3 or discharg\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:03
L32	9	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and supply and (evacuat\$3 or discharg\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:03
L33	1	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and supply and (evacuat\$3 or discharg\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:37
L34	10	"3058296"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:45
L35	6	"5699887"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:46
L36	243	60/358.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 14:46
L37	2	("3058296").URPN.	USPAT	OR	OFF	2009/05/18 14:51
L38	44	60/358.ccls. and (lock \$3 or retarder or retarding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 15:48

L39	3	60/358.ccls. and ((lock\$3 or brak\$3) near5 impeller) and (retarder or retarding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 15:49
L40	2	((hydrodynamic\$4 near5 coupling ) and (toroid or toroidal or torus) and impeller\$ and primary and secondary and supply and (evacuat\$3 or discharg\$3) and lock\$3 and retarder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/18 16:22
S1	1411	((shaft near5 driv\$3) with (impeller\$1 or wheel)\$1) and (hydrodynamic near5 coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 13:41
S2	48104	((shaft near5 driv\$3) with (impeller\$1 or wheel)\$1) and ((hydrodynamic or fluid\$2) near5 coupling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 13:53
S3	1579	((shaft near5 driv\$3) with (impeller\$1 or wheel)\$1) and ((hydrodynamic or fluid\$2) near5 coupling) and (toroid or toroidal or torus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 13:55
S4	433	((shaft near5 driv\$3) with (impeller\$1 or wheel)\$1) and ((hydrodynamic or fluid\$2) near5 coupling) and (toroid or toroidal or torus) and (supply or supplying or supplied) and (evacua\$3 or discharg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 14:07

S5	101	((shaft near5 driv\$3) with (impeller\$1 or wheel\$1)) and ((hydrodynamic or fluid\$2) near5 coupling) and (toroid or toroidal or torus) and (supply or supplying or supplied) and (evacuat\$3 or discharg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 14:16
S6	8	("3481148"   "4440272").PN. OR ("4744443").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/14 14:19
S7	47	((shaft near1 driv\$3) near5 (impeller\$1 or wheel\$1)) and ((hydrodynamic or fluid\$2) near5 coupling) and (toroid or toroidal or torus) and (supply or supplying or supplied) and (evacuat\$3 or discharg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 14:42
S8	2	((shaft near1 driv\$3) near5 (impeller\$1 or wheel\$1)) and ((hydrodynamic or fluid\$2) near5 coupling) and (toroid or toroidal or torus) and (supply or supplying or supplied) and (evacuat\$3 or discharg\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 14:55
S9	5	"4534456"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 15:26
S10	8	("2753966"   "4301906"   "Re24988").PN. OR ("4534456").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/14 15:26
S11	82	60/339.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 15:27

S12	32	60/332.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 15:59
S13	256	60/357.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 16:02
S14	11	("2717673"   "3415345").PN. OR ("4152894").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/14 16:05
S15	7	("3415345").URPN.	USPAT	OR	OFF	2009/05/14 16:06
S16	102	60/365.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 16:16
S17	897	192/3.3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/14 16:20
S18	19	("1748436"   "1938357"   "2358058"   "2363983"   "2999361"   "3012403"   "3150492"   "4091901").PN. OR ("4592203").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/14 16:36

5/18/09 5:10:27 PM

C:\Documents and Settings\ttrieu\My Documents\EAST\Workspaces\10583793A.wsp